

Duplicate



Germanischer Lloyd

# Statement of Compliance

GL-Wind Statement No.: WT 00-016A-2001

This Statement of Compliance for the Design Assessment is issued for the Wind Turbine

## Projekt 80.1 - 750 kW

designed by aerodyn Energiesysteme GmbH  
Provianthausstraße 9  
24768 Rendsburg, Germany

manufactured by BWU Brandenburgische Wind- und Umwelttechnologien GmbH  
Birkenweg  
16230 Britz, Germany

trade name BWU 48/750

manufactured by Jacobs Energie GmbH  
Rödemis Hallig  
25813 Husum, Germany

trade name JE 48/750.

The Design Assessment is based on the calculations and fabrication drawings listed in the relevant certification reports referenced below and the characteristic data given in the attached Annex.

Certification Report numbers and titles:

71404-1	dated 2001-06-12	Load Assumptions GL-Type Class I, Hub Height 50 m
71404-2	dated 2001-06-12	Safety System and Manuals
71404-3	dated 2001-06-12	Rotor Blades LM 23.2
71404-4	dated 2001-06-12	Machinery Components
71404-6	dated 2001-06-12	Electrical Equipment
71404-7	dated 2001-06-12	Tubular Steel Tower GL TC I, Hub Height 50 m
71404-8	dated 2001-06-12	Commissioning


Normative references: Germanischer Lloyd „Regulations for the Certification of Wind Energy Conversion Systems“, 1999 Edition.


Changes in design are to be approved by Germanischer Lloyd WindEnergie GmbH, otherwise this statement loses its validity. Fabrication surveillance is not part of this Statement of Compliance for the Design Assessment.

Hamburg, 12<sup>th</sup> June 2001

**Germanischer Lloyd** *Shol*

WindEnergie GmbH

  
Chr. Nath

  
i.V. Dr. G. Wacker

By DAP German Accreditation System for Testing  
accredited Certification Body for products  
The accreditation is valid for the fields of certification  
listed in the certificate



DAP-ZE-02.253-00-92-01



Annex

12<sup>th</sup> June 2001

page 1/3

GL-Wind Statement No.: WT 00-016A-2001

**Characteristic Data Wind Turbine Projekt 80.1-750 kW:**

<b>General</b>	Type	horizontal axis wind turbine with two rotor speeds
	Power regulation	by aerodynamic stall
	Rated power	750 kW
	Hub height	50 m
	Rated rotational speed (low/high)	15.0/22.6 rpm
	Cut-in wind speed	4 m/s
	Rated wind speed	15 m/s
	Cut-out wind speed (10-min. mean)	25 m/s
	Extreme wind speed (50-year-gust)	65.1 m/s
	Annual average wind speed	10.0 m/s
	<b>GL – Type class</b>	I
	Design life time	20 years
<b>Nacelle</b>	Drawing No.	Z-80.1-GO.00.00-C, Rev. C
<b>Rotor</b>	Diameter	48.4 m
	Number of blades	3
	Orientation	upwind
	Cone angle	0 deg.
	Tilt angle	5 deg.
	Blade type	LM 23.2
	Blade material	glass fibre reinforced polyester
	Manufacturer	LM Glasfiber A/S
<b>Main Braking System</b>	Design	hydraulically activated blade tip brakes with 2 independent hydraulic valves
	Type	integrated in LM 23.2
	Manufacturer	LM Glasfiber A/S
<b>Secondary Braking System</b>	Design	fail-safe disk brake, spring-loaded and hydraulically released with 2 brake calipers
	Location	at high speed shaft
	Drawing Nos.	Z-80.1-TS.SB.01-C, Rev. A and Z-80.1-TS.SB.02-C, Rev. A
	Type	SHD 4 or SHD 5
	Manufacturer	Sime Industrie GmbH

# Statement of Compliance

Duplicate



Germanischer Lloyd

Annex

12<sup>th</sup> June 2001

page 2/3

GL-Wind Statement No.: **WT 00-016A-2001**

<b>Rotor Hub</b>	Type	cast
	Material	EN-GJS-400-18U-LT
	Drawing No.	Z-80.1-RO.NA.01-C, Rev. B
<b>Main Shaft</b>	Type	forged
	Material	42 CrMo 4V
	Drawing No.	Z-80.1-TS.RW.01-C, Rev. B
<b>Main Bearing</b>	Type	24084 CA/W33
	Manufacturer	SKF GmbH
<b>Main Bearing Housing</b>	Drawing No.	Z-80.1-TS.RL.00-C, Rev. B
<b>Gear Box</b>	Type	PEAS 4290
	Ratio	67.427
	Manufacturer	Flender AG, Bocholt
<b>Generator</b>	Design	induction generator, 6/4 poles
	Rated power (low/high)	150/750 kW
	Rated voltage	690 V
	Rated speed (low/high)	1014/1520 rpm
	Degree of protection	IP 54
<b>Main Carrier</b>	Type	welded
	Material	S235J2G3 (for t > 40 mm)
	Drawing No.	Z-80.1-MT.00.00-D, Rev. F
<b>Yaw System</b>	Design	2 active electric yaw drives, disk brake with 5 calipers
	Yaw drive	Bonfiglioli, type 307L4-754-HZ
	Yaw brake	Svendborg, type BSAB 75-S-401 or Sime, type BCHR 85A-B-825
	Drawing No.	Z-80.1-WN.00.00-C, Rev. A
<b>Tower</b>	Design	tubular steel tower
	No. of sections	3
	Length	47.28 m
	Drawing No.	Z-80.1-RT.00.03-C, Rev. E

Germanischer Lloyd *SLD*  
WindEnergie GmbH

Duplicate



*Statement of Compliance*

Germanischer Lloyd

Annex

12<sup>th</sup> June 2001

page 3/3

GL-Wind Statement No.: WT 00-016A-2001

**Control and  
Safety System**

Type  
Manufacturer

WP 3000  
Mita Teknik A/S

End of Annex

**Germanischer Lloyd** *Sld*  
WindEnergie GmbH

**MWPS World**